


Datenblatt für Artikel: LID12400--

7870/W LED STRIP 24V DC WW 5m ROLL

19,2W/m IP20 €ECONOMY

LED Flexstrip, dimmbar, 5 Meter Rolle



Produktinfo

Flexible LED light strip, with SMD2216 LEDs, 238LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 2,95cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.




Technische Daten

Lichtfarbe	warmweiß
Farbtemperatur (K)	3000
Farbwiedergabeindex Ra	≥90
Lebensdauer	50.000h
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP20
EEK	F

Technische Daten - Fortsetzung

Energieeffizienzklasse	F
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Fassung	LED Platine
Ausstrahlwinkel (°)	120
Systemeffizienz (lm/W)	90
Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24
Eingangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Material	PVC
Länge (mm)	5000
Breite (mm)	10
Höhe (mm)	3
Optionales Zubehör	LID 14125--
LxBxH mm	5000x10x3
Lichtstrom/m (lm/m)	1728

Maßbild: 7870/W LED STRIP 24V DC WW 5m ROLL 19,2W/m IP20



Artikeltabelle

BEZEICHNUNG	BEST.NR.
7870/W LED STRIP 24V DC WW 5m ROLL 19,2W/m IP20 LED Flexstrip, dimmbar, 5 Meter Rolle	LID12400
Optionales Zubehör	
7835P LED STROMVERSORGUNG Kabel 10mm FÜR 7825/7835/7835C/7870	LID14125