

Datenblatt für Artikel: LID14466--

7835C/W STRIP CRI97 24V DC WW 5m ROLL

14,4W/m IP20

LED Flexstrip, dimmbar, 5 Meter Rolle



Produktinfo

Full Spectrum CRI97 Flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtfarbe	warmweiß
Farbtemperatur (K)	3000
Farbwiedergabeindex Ra	≥97
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP20
EEK	F
Energieeffizienzklasse	E
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Fassung	LED Platine

Technische Daten - Fortsetzung

Systemeffizienz (lm/W)	105
Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24
Eingangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Länge (mm)	5000
Optionales Zubehör	LID 14125--
Lichtstrom/m (lm/m)	1512

Artikeltabelle

BEZEICHNUNG	BEST.NR.
7835C/W STRIP CRI97 24V DC WW 5m ROLL 14,4W/m IP20 LED Flexstrip, dimmbar, 5 Meter Rolle	LID14466
Optionales Zubehör	
7835P LED STROMVERSORGUNG Kabel 10mm FÜR 7825/7835/7835C/7870	LID14125