

Datenblatt für Artikel: LID15046--

7835/DEW STRIP 24V DC EW-DL 5m ROLL

20W/m IP20

Ohne 24V Treiber, 2700-6500K, 700lm/m+900lm/m



Produktinfo

Flexible LED light strip, with SMD2835 LEDs, 120LEDs/meter, 20W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 10cm (12-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtfarbe	warmweiß kaltweiß
Farbtemperatur (K)	2700-6500
Farbwiedergabeindex Ra	≥90
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP20
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Fassung	LED Platine
Systemeffizienz (lm/W)	80

Technische Daten - Fortsetzung

Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24
Eingangsspannung DC (V)	24
Ausgangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Optionales Zubehör	LID16949--
Lichtstrom/m (lm/m)	700 900

Maßbild: 7835/DEW STRIP 24V DC EW-DL 5m ROLL 20W/m IP20



Artikeltabelle

BEZEICHNUNG	BEST.NR.
7835/DEW STRIP 24V DC EW-DL 5m ROLL 20W/m IP20 Ohne 24V Treiber, 2700-6500K, 700lm/m+900lm/m	LID15046
Optionales Zubehör	
050180E FAST Kabel VERBINDER 32A 2x3-port	LID16949