


Datenblatt für Artikel: LID15486--

# 7833/C LED ULTRA THIN STRIP 24VDC CW 5m ROLL 14,4W/m IP20

ohne 24V DC Treiber



## Produktinfo

Slim Flexible LED light strip, with SMD2110 LEDs, 196LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 3,5cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

## Technische Daten

|                        |                            |
|------------------------|----------------------------|
| Lichtfarbe             | neutralweiß                |
| Farbtemperatur (K)     | 4000                       |
| Farbwiedergabeindex Ra | ≥90                        |
| Dimmbar                | Abhängig vom Treiber<br>ja |
| Schutzklasse           | III                        |
| Schutzart              | IP20                       |
| EEK                    | F                          |
| Energieeffizienzklasse | F                          |
| Leuchtenart            | LED Strip                  |
| Leuchtmittel inkl.     | ja                         |
| Fassung                | LED Platine                |

## Technische Daten - Fortsetzung

|                         |                                        |
|-------------------------|----------------------------------------|
| Systemeffizienz (lm/W)  | 90                                     |
| Betriebsgerät           | Muss separat bestellt werden           |
| Betriebsspannung DC (V) | 24                                     |
| Eingangsspannung DC (V) | 24                                     |
| Montage                 | Deckenanbau<br>Wandanbau<br>Bodenanbau |
| Optionales Zubehör      | LID 14188--                            |
| Lichtstrom/m (lm/m)     | 1300                                   |

## Maßbild: 7833/C LED ULTRA THIN STRIP 24VDC CW 5m ROLL 14,4W/m IP20



## Artikeltabelle

| BEZEICHNUNG                                                                                                                                                                                                                                                  | BEST.NR. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 7833/C LED ULTRA THIN STRIP 24VDC CW 5m ROLL 14,4W/m IP20<br>ohne 24V DC Treiber                                                                                                                                                                             | LID15486 |
| <b>Optionales Zubehör</b>                                                                                                                                                                                                                                    |          |
| 20030 FERNBEDIENUNG FÜR DIMMING LED STRIPS & LAMPS 12/24V<br>zum Dimmen jeder konstanten Spannung 12V / 24V LED, einschließlich LED-Streifen, LED-Lampen, LED-Module. 50 Meter<br>Reichweite, 2 Speichereinstellungen, Dimmen durch Berührung. 3 Kanäle x 3A | LID14188 |