

Datenblatt für Artikel: LID15527--

7820V/W LED STRIP 24VDC WW 5m ROLL

4,8W/m VERTICAL LIGHT

ohne 24V DC Treiber



Produktinfo

Vertical light Flexible LED light strip, with SMD3014 LEDs, 60LEDs/meter, 4,8W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 10cm (6-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtfarbe	warmweiß
Farbtemperatur (K)	3000
Farbwiedergabeindex Ra	≥90
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP20
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Systemeffizienz (lm/W)	94
Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24

Technische Daten - Fortsetzung

Eingangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Optionales Zubehör	LID 12346--; LID 12344--;
Lichtstrom/m (lm/m)	450
Watt/m (W/m)	4,80

Maßbild: 7820V/W LED STRIP 24VDC WW 5m ROLL 4,8W/m VERTICAL LIGHT

Cut every 10cm
(6-LED segment)



Artikeltabelle

BEZEICHNUNG	BEST.NR.
7820V/W LED STRIP 24VDC WW 5m ROLL 4,8W/m VERTICAL LIGHT ohne 24V DC Treiber	LID15527
Optionales Zubehör	
7824 STROMVERSORGUNG Kabel 8mm FÜR 7820/7829/7829A/7820V/7835V	LID12346
7822 LED STRIP VERBINDER FÜR 7820/7829/7829A/7820V/7835V 8mm	LID12344