

Datenblatt für Artikel: LID16851--

7884/C DOUBLE LED STRIP 24V CW 5m ROLL

33W/m IP20



Produktinfo

Flexible LED light strip, with SMD2835 320 LEDs/m, 33W/m. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 2,5cm (8-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtfarbe	neutralweiß
Farbtemperatur (K)	4000
Farbwiedergabeindex Ra	≥90
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP20
EEK	D
Energieeffizienzklasse	D
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Fassung	LED Platine
Erfassungswinkel (°)	

Technische Daten - Fortsetzung

Systemeffizienz (lm/W)	142
Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24
Eingangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Breite (mm)	30
Optionales Zubehör	LID 16949--
Lichtstrom/m (lm/m)	4700

Artikeltabelle

BEZEICHNUNG	BEST.NR.
7884/C DOUBLE LED STRIP 24V CW 5m ROLL 33W/m IP20	LID16851
Optionales Zubehör	
050180E FAST Kabel VERBINDER 32A 2x3-port	LID16949