


Datenblatt für Artikel: LID17255--

7839/C COB LED STRIP 24V CW 5m ROLL

4W/m IP20

erfordert 24V Treiber, 3M doppelseitiger Klebstoff



Produktinfo

Flexible COB LED light strip, 320LEDs/meter, 4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 5cm. Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtfarbe	neutralweiß
Farbtemperatur (K)	4000
Farbwiedergabeindex Ra	≥90
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP20
Energieeffizienzklasse	F
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Fassung	LED Platine
Systemeffizienz (lm/W)	100

Technische Daten - Fortsetzung

Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24
Eingangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Länge (mm)	5000
Breite (mm)	8
Optionales Zubehör	LID 17316--; LID 17317--; LID 17318--
Lichtstrom/m (lm/m)	400

Artikeltabelle

BEZEICHNUNG	BEST.NR.
7839/C COB LED STRIP 24V CW 5m ROLL 4W/m IP20 erfordert 24V Treiber, 3M doppelseitiger Klebstoff	LID17255
Optionales Zubehör	
7844B ECKE VERBINDER FÜR 7844 + 7839 8mm	LID17316
7844C VERBINDER FÜR 7844 + 7839 8mm	LID17317
7844P STROMVERSORGUNG FÜR 7844 + 7839 8mm	LID17318